

APPENDIX 3

STROKE BEST PRACTICES SUMMARY OF REFERENCE GUIDELINES (INCLUDING ADDITIONAL INTERNATIONAL GUIDELINES)

Broad Scope Guidelines

Adams HP Jr, del Zoppo G, Alberts MJ, et al. Guidelines for the early management of adults with ischemic stroke. A guideline from the American Heart Association/ American Stroke Association Stroke Council, Clinical Cardiology Council, Cardiovascular Radiology and Intervention Council, and the Atherosclerotic Peripheral Vascular Disease and Quality of Care Outcomes in Research Interdisciplinary Working Group. Stroke 2007;38:1655-711.

Canadian Best Practice Recommendations for Stroke Care (Update 2012 – 13). Heart and Stroke Foundation of Canada; December 2013. www.strokebestpractices.ca

Department of Veterans Affairs Department of Defence and the American Heart Association/American Stroke Association. Veterans Affairs/Department of Defence clinical practice guideline for management of stroke rehabilitation. Washington (DC): US Department of Veterans Affairs; 2010. http://www.healthquality.va.gov/stroke/stroke_full_221.pdf

Duncan PW, Zorowitz R, Bates B, Choi JY, Glasberg JJ, Graham GD, Katz RC, Lamberty K, Reker D. Management of adult stroke rehabilitation care: a clinical practice guideline. Stroke 2005;36:e100-143.

Furie KL, Kasner SE, Adams RJ et al. Guidelines for the prevention of stroke in patients with stroke or transient ischemic attack: a guideline for healthcare professionals from the American heart association/ American stroke association. Stroke 2011;42:227-276.

European Stroke Organization (ESO) Executive Committee and the ESO Writing Committee. Guidelines for management of ischaemic stroke and transient ischaemic attack. Cerebrovasc Dis 2008;25:457-507.

European guidelines on cardiovascular disease prevention in clinical practice: full text. Fourth Joint Task Force of the European Society of Cardiology and other societies [trunc]. Eur J Cardiovasc Prev Rehabil 2007 Sep;14 Suppl 2:S1-113.

Goldstein LB, Bushnell CD, Adams RJ, Appel LJ, Braun LT, Chaturvedi S, Creager MA, Culebras A, Eckel RH, Hart RG, Hinchey JA, Howard VJ, Jauch EC, Levine SR, Meschia JF, Moore WS, Nixon JVI, Pearson TA. Guidelines for the primary prevention of stroke: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. Stroke 2011;42:517-584.

Intercollegiate Stroke Working Party. National clinical guideline for stroke, 4th edition. National Institute for Health and Clinical Excellence London: Royal College of Physicians, 2012. http://www.rcplondon.ac.uk/sites/default/files/national-clinical-guidelines-for-stroke-fourth-edition.pdf

National Stroke Foundation. Clinical Guidelines for Stroke Management 2010. Melbourne Australia. http://strokefoundation.com.au/site/media/clinical_guidelines_stroke_managment_2010_interactive.pdf

National Clinical Guidelines and Recommendations for the Care of People with Stroke and Transient Ischemic Attack. Irish Heart Foundation: Council for Stroke. 2010. http://www.stroke.ie/media/pub/strokeie/Strokeguidelinesfinal.pdf

Scottish Intercollegiate Guidelines Network (SIGN). Management of patients with stroke or TIA: assessment, investigation, immediate management and secondary prevention (no. 108). A national clinical guideline. Edinburgh, (Scotland) 2008. http://www.sign.ac.uk/pdf/sign108.pdf

Scottish Intercollegiate Guidelines Network (SIGN). Management of patients with stroke: rehabilitation, prevention and management of complications, and discharge planning (no. 118). A national clinical guideline. Edinburgh (Scotland): 2010 Jun. http://www.sign.ac.uk/pdf/sign118.pdf

Singapore Ministry of Health. Stroke and transient ischaemic attacks. Assessment, investigation, immediate management and secondary prevention. Singapore: Singapore Ministry of Health, 2009. http://www.moh.gov.sg/content/dam/moh_web/HPP/Doctors/cpg_medical/current/2009/CPG_Stroke_Booklet.pdf

Stroke Foundation of New Zealand. New Zealand Clinical Guidelines for Stroke Management. 2010. http://www.stroke.org.nz/stroke-health-professionals

Prevention & Awareness

American Academy of Family Physicians (AAFP). Summary of recommendations for clinical preventive services. Leawood (KS), 2011. (link to 2013 update is provided) http://www.aafp.org/dam/AAFP/documents/patient_care/clinical_recommendations/cps-recommendations.pdf

Aurora RN, Zak RS, Karippot A et al. Practice parameters for the respiratory indications for polysomnography in children. Sleep 2011;34:379-388.

Aurora RN, Chowdhuri S, Ramar K, Bista SR, Casey KR, Lamm CI, Kristo DA, Mallea JM, Rowley JA, Zak RS, Tracy SL. The treatment of central sleep apnea syndromes in adults: practice parameters with an evidence-based literature review and meta-analyses. Sleep 2012;35(1):17-40.

Bederson, JB., Connolly, ES., Batjer, HH., Dacey, RG., et al. Guidelines for the management of aneurismal subarachnoid hemorrhage: A statement for healthcare professionals from a special writing group of the stroke council, American Heart Association. Stroke 2009; 40:994-1025.

Camm AJ, Lip GY, De CR et al. 2012 focused update of the ESC Guidelines for the management of atrial fibrillation: an update of the 2010 ESC Guidelines for the management of atrial fibrillation. Developed with the special contribution of the European Heart Rhythm Association. Eur Heart J 2012;33:2719-2747.

Canadian Hypertension Education Program. 2015 Recommendations (Lifestyle) http://guidelines.hypertension.ca/prevention-treatment/health-behaviour-management/

CAN-ADAPTT. Canadian Smoking Cessation Clinical Practice Guideline. Canadian Action Network for the Advancement, Dissemination and Adoption of Practice-informed Tobacco Treatment, Centre for Addiction and Mental Health. Toronto, Canada. 2011.

https://www.nicotinedependenceclinic.com/English/CANADAPTT/Documents/CAN-ADAPTT%20 Canadian%20Smoking%20Cessation%20Guideline_website.pdf

Daskalopoulou SS, Rabi DM, Zarnke KB et al. The 2015 Canadian Hypertension Education Program recommendations for blood pressure measurement, diagnosis, assessment of risk, prevention, and treatment of hypertension. Can J Cardiol 2015;31(5):549-568.

Department of Veteran Affairs, Department of Defense. VA/DoD clinical practice guideline for the management of diabetes mellitus. Washington (DC): Department of Veteran Affairs, Department of Defense; 2010. http://www.healthquality.va.gov/diabetes_mellitus.asp

Easton JD, Saver JL, Albers GW et al. Definition and evaluation of transient ischemic attack: a scientific statement for healthcare professionals from the American Heart Association/American Stroke Association Stroke Council; Council on Cardiovascular Surgery and Anesthesia; Council on Cardiovascular Radiology and Intervention; Council on Cardiovascular Nursing; and the Interdisciplinary Council on Peripheral Vascular Disease. The American Academy of Neurology affirms the value of this statement as an educational tool for neurologists. Stroke 2009;40:2276-2293.

Eckel RH, Jakicic JM, Ard JD et al. 2013 AHA/ACC Guideline on Lifestyle Management to Reduce Cardiovascular Risk: A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. J Am Coll Cardiol 2014;63(25):2960-2985.

Epstein LJ, Kristo D, Strollo PJ, Jr. et al. Clinical guideline for the evaluation, management and long-term care of obstructive sleep apnea in adults. J Clin Sleep Med 2009;5:263-276.

Fiore MC, Jaén CR, Baker TB, et al. Treating Tobacco Use and Dependence: 2008 Update. Clinical Practice Guideline. Rockville, MD: U.S. Department of Health and Human Services. Public Health Service. May 2008. http://www.ahrq.gov/professionals/clinicians-providers/guidelines-recommendations/tobacco/clinicians/ treating_tobacco_use08.pdf

Fitch A, Everling L, Fox C, Goldberg J, Heim C, Johnson K, Kaufman T, Kennedy E, Kestenbaun C, Lano M, Leslie D, Newell T, O'Connor P, Slusarek B, Spaniol A, Stovitz S, Webb B. Prevention and Management of Obesity for Adults. Institute for Clinical Systems Improvement. Updated May 2013. https://www.icsi.org/_asset/s935hy/Obesity-Interactive0411.pdf

Genest, J., McPherson, R., Frohlich, J., et al. 2009. Canadian Cardiovascular Society. Canadian guidelines for the diagnosis and treatment of dyslipidemia and prevention of cardiovascular disease in the adult- 2009 recommendations. Can J Cardiol 2009; 25(10): 567-579.

January CT, Wann LS, Alpert JS et al. 2014 AHA/ACC/HRS guideline for the management of patients with atrial fibrillation: a report of the American College of Cardiology/American Heart Association Task Force on practice guidelines and the Heart Rhythm Society. Circulation 2014;130(23):e199-e267.

Jennings I, Kitchen D, Keeling D, Fitzmaurice D, Heneghan C. Patient self-testing and self-management of oral anticoagulation with vitamin K antagonists: guidance from the British Committee for Standards in Haematology. Br J Haematol 2014;167(5):600-607.

Kernan WN, Ovbiagele B, Black HR, Bravata DM, Chimowitz MI, Ezekowitz MD, Fang MC, Fisher M, Furie KL, Heck DV, Johnston SC, Kasner SE, Kittner SJ, Mitchell PH, Rich MW, Richardson D, Schwamm LH, Wilson JA: Guidelines for the prevention of stroke in patients with stroke and transient ischemic attack: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. Stroke 2014;45:2160-2236.

The Management of Asthma Working Group. VA/DoD Clinical Practice Guideline for Management of Asthma in Children and Adults. Washington (DC): Department of Veteran Affairs, Department of Defense; 2009. http://www.healthquality.va.gov/asthma/ast_2_full.pdf

National Clinical Guideline Centre. Hypertension. Clinical management of primary hypertension in adults. NICE clinical guideline 127. London (UK): National Institute for Health and Clinical Excellence (NICE); 2011 http://www.nice.org.uk/nicemedia/live/13561/56008/56008.pdf

National Institute for Health and Clinical Excellence (NICE). Brief interventions and referral for smoking cessation in primary care and other settings. London (UK); 2006. http://www.nice.org.uk/nicemedia/live/11375/31864/31864.pdf NICE Technology Appraisal Guideline 139. Continuous positive airway pressure for the treatment of obstructive sleep apnoea/hypopnoea syndrome 2010. http://www.nice.org.uk/nicemedia/live/11944/40085/40085.pdf

National Institute for Health and Clinical Excellence (NICE). Smoking cessation in secondary care: acute, maternity and mental health service. NICE public health guidance 48. 2013. http://www.nice.org.uk/nicemedia/live/14306/65863/65863.pdf

Scottish Intercollegiate Guidelines Network (SIGN). Management of Obstructive Sleep Apnoea/ Hypopnoea Syndrome in Adults. A national clinical guideline (no. 79). Edinburgh, Scotland. 2003. http://www.sign.ac.uk/pdf/sign73.pdf

Scottish Intercollegiate Guidelines Network (SIGN). Management of diabetes. A national clinical guideline. (no.116), Edinburgh, Scotland, 2010. http://www.sign.ac.uk/pdf/sign116.pdf

Sharma M, Gubitz G. Management of stroke in diabetes. Canadian Diabetes Association Clinical Practice Guideline Expert Committee. Can J Diabetes 2013;37:S124-125. http://guidelines.diabetes.ca/Browse/Chapter27

Stone NJ, Robinson J, Lichtenstein AH et al. 2013 ACC/AHA Guideline on the Treatment of Blood Cholesterol to Reduce Atherosclerotic Cardiovascular Risk in Adults: A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. J Am Coll Cardiol 2014;63(25):2889-2934.

U.S. Preventive Services Task Force. Counseling and interventions to prevent tobacco use and tobaccocaused disease in adults and pregnant women: U.S. Preventive Services Task Force reaffirmation recommendation statement. Ann Intern Med 2009 21;150(8):551-5.

Verma A, Cairns JA, Mitchell LB et al. 2014 focused update of the Canadian Cardiovascular Society Guidelines for the management of atrial fibrillation. Can J Cardiol 2014;30(10):1114-1130.

Wilkinson J, Bass C, Diem S, Gravley A, Harvey L, Maciosek M, McKeon K, Milteer L, Owens J, Rothe P, Snellman L, Solberg L, Vincent P. Preventive Services for Adults. Institute for Clinical Systems Improvement. Updated September 2013. https://www.icsi.org/_asset/gtjr9h/PrevServAdults.pdf

You JJ, Singer DE, Howard PA et al. Antithrombotic therapy for atrial fibrillation: Antithrombotic Therapy and Prevention of Thrombosis, 9th ed: American College of Chest Physicians Evidence-Based Clinical Practice Guidelines. Chest 2012;141:e531S-e575S.

Rehabilitation

Bryer A, Connor M, Haug P, et al. South African guideline for management of ischaemic stroke and transient ischaemic attack 2010: a guideline from the South African Stroke Society (SASS) and the SASS Writing Committee. S Afr Med J 2010;100:747-78.

Catalan Agency for Health Technology Assessment and Research. Stroke: Clinical Practice Guideline 2nd edition, Barcelona, Spain. January 2007. http://www.gencat.cat/salut/depsan/units/aatrm/pdf/gp07ictusen.pdf

Quinn TJ, Paolucci S, Sunnerhagen KS, et al. Evidence-based stroke rehabilitation: an expanded guidance document from the European stroke organisation (ESO) guidelines for management of ischaemic stroke and transient ischaemic attack 2008. J Rehabil Med 2009;41:99-111.

Transitions

Bakas T, Clark PC, Kelly-Hayes M, et al. Evidence for stroke family caregiver and dyad interventions: a statement for healthcare professionals from the american heart association and american stroke association. Stroke 2014;45:2836-52.

Snow V, Beck D, Budnitz T, et al. Transitions of Care Consensus Policy Statement American College of Physicians-Society of General Internal Medicine-Society of Hospital Medicine-American Geriatrics Society-American College of Emergency Physicians-Society of Academic Emergency Medicine. J Gen Intern Med 2009;24:971-76.

Shamji H, Baier RR, Gravenstein S, et al. Improving the quality of care and communication during patient transitions: best practices for urgent care centers. Jt Comm J Qual Patient Saf 2014;40:319-24.

Classen S, Monahan M, Auten B, et al. Evidence-based review of interventions for medically at-risk older drivers. Am J Occup Ther 2014;68:e107-e114

Mood & Cognition

American Association of Neuroscience Nurses. Guide to the care of the hospitalized patient with ischemic stroke. 2nd ed. Glenview (IL): American Association of Neuroscience Nurses; 2008. http://www.aann.org/pdf/cpg/aannischemicstroke.pdf

Rabins P, Blacker D, Barry W. Rovner, Rummans T, Schneider L, Tario P, Blass D. Practice guideline for the treatment of patients with Alzheimer's disease and other dementias. Arlington (VA): American Psychiatric Association (APA); 2007 Oct.

http://psychiatryonline.org/pdfaccess.ashx?ResourceID=243205&PDFSource=6

Degelau J, Belz M, Bungum L, Flavin PL, Harper C, Leys K, Lundquist L, Webb B. Institute for Clinical Systems Improvement. Prevention of Falls (Acute Care). Updated April 2012. https://www.icsi.org/_asset/dcn15z/Falls-Interactive0412.pdf

Mancia G, De Backer G, Dominiczak A, Cifkova R, Fagard R, Germano G, Grassi G. et al. 2007 Guidelines for the management of arterial hypertension: The Task Force for the Management of Arterial Hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). Eur Heart J 2007 Jun;28(12):1462-536

Miller EL, Murray L, Richards L, et al. Comprehensive overview of nursing and interdisciplinary rehabilitation care of the stroke patient: a scientific statement from the American Heart Association. Stroke 2010;41:2402-48.

National Collaborating Centre for Mental Health, Social Care Institute for Excellence (SCIE), National Institute for Health and Clinical Excellence (NICE). Dementia: supporting people with dementia and their carers in health and social care. National clinical practice guideline; no. 42. London (UK): National Institute for Health and Clinical Excellence (NICE); 2006. http://www.nice.org.uk/nicemedia/pdf/CG042NICEGuideline.pdf

Ramasubbu R, Taylor VH, Samaan Z, et al. The Canadian Network for Mood and Anxiety Treatments (CANMAT) task force recommendations for the management of patients with mood disorders and select comorbid medical conditions. Ann Clin Psychiatry 2012;24:91-109.

Scottish Intercollegiate Guidelines Network (SIGN). Management of patients with dementia. A national clinical guideline no. 86. Edinburgh (Scotland): Scottish Intercollegiate Guidelines Network (SIGN); 2006 Feb http://www.sign.ac.uk/pdf/sign86.pdf

Waldemar G, Dubois B, Emre M, Georges J, McKeith IG, Rossor M, Scheltens P, Tariska P, Winblad B, EFNS. Recommendations for the diagnosis and management of Alzheimer's disease and other disorders associated with dementia: EFNS guideline. Eur J Neurol 2007;14(1):e1-26.

Telestroke

Jauch EC, Saver JL, Adams HP, Jr., et al. Guidelines for the early management of patients with acute ischemic stroke: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. Stroke 2013;44:870-947.

Additional Guidelines Used by World Stroke Organization

Australia

National Vascular Disease Prevention Alliance. Guidelines for the management of absolute cardiovascular disease risk. The National Vascular Disease Prevention Alliance. 2012. http://strokefoundation.com.au/site/media/AbsoluteCVD_GL_webready.pdf

Brazil

Jamary OF, Martins SC, Pontes-Neto OM et al. Guidelines for acute ischemic stroke treatment-Part I. Arq. NeuroPsiquiatr; 2012;70(8):621-629.

André C, Bacellar AL, Bezerra DC et al. Guidelines for acute ischemic stroke treatment – Part II: Stroke treatment. Arq Neuropsiquiatr 2012;70(11):885-893.

Canada

Teasell R, Foley N, Salter K, Bhogal S, Jutai J, Speechley M. Evidence-based review of stroke rehabilitation. 16th ed. London (ON): EBRSR; 2014. http://www.ebrsr.com/

Canadian Diabetes Association Clinical Practice Guidelines Expert Committee. Canadian Diabetes Association 2008 clinical practice guidelines for the prevention and management of diabetes in Canada. Can J Diabetes 2008;32(Suppl 1):S1-201.

Chertkow H. Introduction: the Third Canadian Consensus Conference on the Diagnosis and Treatment of Dementia 2006. Alzheimers Dement 2007;3:262-5.

Canadian Physical Activity Guidelines 2010. CSEP. Available at: http://www.csep.ca/english/View.asp?x=587

Lau DCW, Douketis JD, Morrison KM, et al. 2006 Canadian clinical practice guidelines on the management and prevention of obesity in adults and children. CMAJ 2007;176(8 Suppl): Online-1–117. Available: http://www.cmaj.ca/content/176/8/S1.short

China

Wang YJ, Zhang SM, Zhang L. Wang CX. Chinese Guidelines for the Secondary Prevention of Ischemic Stroke and Transient Ischemic Attack 2010. CNS Neurosci Ther 2012;18(2):93-101.

Europe

Finnish Medical Society Duodecim. Treatment of dyslipidaemias. In: EBM Guidelines. Evidence-Based Medicine [Internet]. Helsinki, Finland: Wiley Interscience. John Wiley & Sons; 2010 Aug 3.

India

Prasad K, Kaul S, Padma MV et al. Stroke Management Ann Indian Acad Neurol 2011; 14:82-96.

Japan

Shinohara Y et al. Stroke in general. J Stroke Cerebrovasc Dis 2011;20 (4 Suppl):S7-30.

Minematsu K et al. Guidelines for the intravenous application of recombinant tissue-type plasminogen activator (alteplase), the second edition, October 2012: a guideline from the Japan Stroke Society. J Stroke Cerebrovasc Dis 2013;22:571-600.

Latin America

Avezum A, Cantú C, Gonzalez-Zuelgaray J et al. How Can We Avoid a Stroke Crisis in Latin America? Working Group Report: Stroke Prevention in Patients with Atrial Fibrillation. August 2011. http://www.stopafib.org/downloads/News360.pdf

Thailand

The Neurological Society of Thailand. Guidelines for Stroke Unit Organization. (2012) http://www.neurothai.org/index.php?option=com_content&view=category&id=56&layout=blog&Itemid=89

United Kingdom

National Institute for Health and Clinical Excellence. Clopidogrel and modified-release dipyridamole in the prevention of occlusive vascular events. London (UK): The Institute; 2010. Available: http://www.nice.org.uk/nicemedia/live/13285/52030/52030.pdf

National Institute for Health and Clinical Excellence (NICE). Smoking cessation services in primary care, pharmacies, local authorities and workplaces, particularly for manual working groups, pregnant women and hard to reach communities. London (UK): National Institute for Health and Clinical Excellence (NICE); 2008 Feb. 87 p. (Public health guidance; no. 10). http://www.nice.org.uk/nicemedia/pdf/PH010guidance.pdf

National Institute for Health and Clinical Excellence. Alteplase for the treatment of acute ischaemic stroke. London (UK): The Institute; 2007. Available: http://www.nice.org.uk/nicemedia/pdf/TA122guidance.pdf

Paediatric Stroke Working Group. Stroke in childhood: clinical guidelines for diagnosis, management and rehabilitation. London (UK): Royal College of Physicians of London; 2004. Available: http://www.icnapedia.org/guidelines/open/f98c6540-a541-4bed-837d-ef293ac458bf.pdf

United States

Adams RJ, Albers G, Alberts MJ, Benavente O, et al. American Heart Association, American Stroke Association. Update to the AHA/ASA recommendations for the prevention of stroke in patients with stroke and transient ischemic attack. Stroke 2008 May;39(5):1647-52.

American Dietetic Association (ADA). Pediatric weight management evidence-based nutrition practice guideline. Chicago (IL): American Dietetic Association (ADA); 2007 Jun. http://andevidencelibrary.com/topic.cfm?cat=2721&auth=1

Cincinnati Children's Hospital Medical Center. Best evidence statement (BESt). Screening of hypertension in pediatric patients with diabetes. Cincinnati (OH): Cincinnati Children's Hospital Medical Center; 2011 http://www.cincinnatichildrens.org/WorkArea/DownloadAsset.aspx?id=88006

Guyatt GH, Cook DJ, Jaeschke R, et al. Grades of recommendation for antithrombotic agents: American College of Chest Physicians evidence-based clinical practice guidelines (8th edition) [published erratum in Chest 2008;134:473]. Chest 2008;133(6 Suppl):123S-131S.

Kottke T, Baechler C, Canterbury M, Danner C, Erickson K, Hayes R, Marshall M, O'Connor P, Sanford M, Schloenleber M, Shimotsu S, Straub R, Wilkinson J. Institute for Clinical Systems Improvement. Healthy Lifestyles. Institute for Clinical Systems Improvement (ICSI); 2011 May. 68 p. (Updated May 2013) https://www.icsi.org/_asset/4qjdnr/HealthyLifestyles.pdf

Luehr D, Woolley T, Burke R, Dohmen F, Hayes R, Johnson M, et al. Institute for Clinical Systems Improvement (ICSI). Hypertension diagnosis and treatment. Bloomington (MN): Institute for Clinical Systems Improvement (ICSI); 2010. (Updated November 2012). https://www.icsi.org/_asset/wjgy4g/HTN.pdf

Riethof M, Flavin PL, Lindvall B Michels R, O'Connor P, Redmon B, et al. Institute for Clinical Systems Improvement (ICSI). Diagnosis and management of type 2 diabetes mellitus in adults. Bloomington (MN): Institute for Clinical Systems Improvement (ICSI); 2010 Jul. 112p. (Updated April 2012) https://www.icsi.org/_asset/3rrm36/Diabetes-Interactive0412.pdf

Roach ES, Golomb MR, Adams R, et al. Management of stroke in infants and children: a scientific statement from a special writing group of the American Heart Association Stroke Council and the Council on Cardiovascular Disease in the Young. Stroke 2008;39:2644.

U.S. Preventive Services Task Force. Counseling and interventions to prevent tobacco use and tobacco-caused disease in adults and pregnant women:U.S. Preventive Services Task Force reaffirmation recommendation statement. Ann Intern Med 2009 Apr 21;150(8):551-5.

U.S. Department of Health and Human Services. Treating tobacco use and dependence: 2008 update. Rockville (MD): U.S. Department of Health and Human Services, Public Health Service; 2008 May. 257 p.

Maria Grupper Executive Officer World Stroke Organization 7, rue Francois Versonnex PO Box 6053 CH 1211 Geneva 6, Switzerland Email: mgrupper@kenes.com